


B-EXTRA MARIN

Extruded pellet for ongrowing Seabream and Seabass



- Usable for Seabream and Seabass in Organic farming conditions
- Very high DP/DE ratio
- Elevated digestible energy level
- Very high marine products content, selected for their substantial digestibility and palatability level
- Optimized economical performances

B-EXTRA MARIN	
Commercial Ref.	4 / 5 / 7
Diameter (mm)	4 / 5,5 / 7,5
Presentation	Pellet
Live weight (g)	50 to > 400 g

This fish feed can be used in **Organic farming**, in accordance with the regulation (CE) n°834/2007, (CE) n°889/2008 et (CE) 710/2009. This approach is controlled by FR-BIO 10.

PACKING

20 or 25 kg bag, big bag or bulk
Store feed in a cool and dry place

FLOATING TYPE

Sinking and half-floating

INDICATIVE NUTRITIONAL PROFILE

		B-EXTRA MARIN
Protein	(%)	43
Fats	(%)	18
Digestible Energy	(MJ/Kg)	18,2
DP / DE	(g/MJ)	21,4
Gross Energy	(MJ/Kg)	21,2
Fibre	(%)	1,8
Ash	(%)	12,5
Phosphorus	(%)	1,9

VITAMINS INCORPORATION

Vit. A (UI/Kg)	10 000
Vit. D3 (UI/Kg)	1 750
Vit. E (mg/Kg)	200
Vit. C (mg/Kg)	250

SUSTAINABILITY

Here at Le Gouessant, we believe that aquaculture is sustainable if performance, quality and preservation of marine resources are combined, that is why we are Global GAP certified.



FEEDING TABLE

Live Weight (g)		Feed	P	F	Diameter (mm)	Feeding rate (% of Biomass / day) following water temperature																						
From	To					N°	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28			
20	50				3	0,39	0,47	0,55	0,67	0,78	0,93	1,09	1,28	1,48	1,72	1,96	2,24	2,51	2,77	3,02	3,14	3,14	2,95	2,65				
50	100				4	0,30	0,36	0,42	0,51	0,59	0,71	0,82	0,97	1,11	1,30	1,48	1,69	1,89	2,09	2,28	2,37	2,37	2,37	2,37	2,23	2,00		
100	150				4	0,24	0,29	0,34	0,41	0,48	0,58	0,67	0,79	0,91	1,06	1,22	1,38	1,55	1,71	1,88	1,95	1,95	1,83	1,64				
150	200				5	0,21	0,26	0,30	0,36	0,42	0,50	0,59	0,69	0,80	0,93	1,06	1,21	1,36	1,50	1,63	1,70	1,70	1,70	1,60	1,43			
200	300	B EXTRA MARIN	43	18	5	0,20	0,23	0,27	0,33	0,38	0,46	0,53	0,63	0,73	0,85	0,97	1,10	1,24	1,36	1,49	1,55	1,55	1,46	1,30				
300	400				5	0,17	0,21	0,24	0,29	0,33	0,40	0,47	0,55	0,64	0,74	0,85	0,96	1,08	1,19	1,31	1,36	1,36	1,36	1,28	1,14			
400	500				7	0,14	0,17	0,20	0,24	0,29	0,34	0,40	0,47	0,54	0,64	0,73	0,83	0,93	1,02	1,12	1,16	1,16	1,09	0,98				
500	600				7	0,12	0,15	0,18	0,22	0,25	0,30	0,34	0,41	0,48	0,55	0,63	0,72	0,81	0,89	0,98	1,01	1,01	1,01	0,96	0,86			
600	800				7	0,11	0,13	0,15	0,19	0,22	0,26	0,31	0,36	0,42	0,49	0,55	0,63	0,71	0,78	0,86	0,89	0,89	0,84	0,75				
800	1 000				7	0,10	0,11	0,13	0,16	0,19	0,22	0,26	0,31	0,35	0,42	0,48	0,54	0,61	0,67	0,74	0,76	0,76	0,76	0,72	0,64			

Feeding rates are indicatives and based on the feed nutritional values. It must be adapted to local conditions and farming goals