



*LAP free : Land Animal Protein free

B-NATURE GROWER

Extruded pellet for **Aquapony**

- Feed for salmonids and others species in Aquapony
- Feed **usable in Organic salmonids farming** conditions
- **High level of digestible energy, allowing flexibility** and year-round use
- **High DP/DE ratio**
- **Ensures a good nutritional balance** throughout the cycle and **preserves flesh quality**
- Range available with or without pigments

B-NATURE GROWER				
Commerciale Ref.	4	5	7	9
Diameter (mm)	4	5,5	7,5	9,5
Presentation	Pellet			
Live weight (g)	50 to 100 g	100 to 400	400 to 1 800	1 800 to 2 500

This fish feed can be used in **Organic farming**, in accordance with the regulation (CE) n°834/2007, (CE) n°889/2008 et (CE) 710/2009. This approach is controlled by FR-BIO 10.

PACKING

15 kg, 20 kg, 25 kg bag, big bag or bulk

Store feed in a cool and dry place

FLOATING TYPE

Sinking, half-floating and floating

INDICATIVE NUTRITIONAL PROFILE

		B-NATURE GROWER
Protein	(%)	45
Fats	(%)	17
Digestible Energy	(MJ/Kg)	18,2
DP / DE	(g/MJ)	22,7
Gross Energy	(MJ/Kg)	20,8
Fibre	(%)	1,5
Ash	(%)	13,2
Phosphorus	(%)	1,7

VITAMINS INCORPORATION

Vit. A (UI/Kg)	10 000
Vit. D3 (UI/Kg)	1 750
Vit. E (mg/Kg)	200
Vit. C (mg/Kg)	250

SUSTAINABILITY

Here at Le Gouessant, we believe that aquaculture is sustainable if performance, quality and preservation of marine resources are combined, that is why we are Global GAP certified.



FEEDING TABLE

Live Weight (g)		Feed	P	F	Diameter (mm)	Feeding rate (% of Biomass / day) following water temperature																	
From	To					N°	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
50	100	B-NATURE GROWER	45	17	4	1,10	1,18	1,26	1,36	1,44	1,54	1,62	1,71	1,81	1,88	1,94	1,97	1,98	1,96	1,92	1,79	1,62	
100	150				5	0,97	1,05	1,13	1,22	1,31	1,40	1,49	1,58	1,66	1,73	1,79	1,84	1,86	1,83	1,77	1,64	1,49	1,37
150	200				5	0,89	0,96	1,05	1,13	1,21	1,29	1,37	1,47	1,55	1,64	1,70	1,75	1,76	1,73	1,65	1,53	1,37	1,21
200	400				5	0,85	0,92	0,99	1,08	1,15	1,22	1,30	1,37	1,46	1,54	1,61	1,64	1,65	1,62	1,54	1,43	1,30	1,12
400	500				7	0,77	0,84	0,91	0,99	1,06	1,13	1,21	1,27	1,35	1,42	1,48	1,51	1,51	1,48	1,42	1,32	1,21	1,02
500	1 000				7	0,72	0,77	0,85	0,92	0,98	1,05	1,12	1,19	1,25	1,32	1,37	1,40	1,40	1,37	1,32	1,22	1,12	0,88
1 000	1 500				7	0,65	0,71	0,77	0,83	0,89	0,95	1,02	1,07	1,13	1,18	1,22	1,25	1,25	1,27	1,25	1,20	1,11	0,88
1 500	1 800				7	0,57	0,62	0,66	0,71	0,77	0,82	0,88	0,93	0,98	1,02	1,07	1,09	1,10	1,08	1,04	0,97	0,88	0,62
1 800	2 000				9	0,52	0,56	0,61	0,65	0,70	0,75	0,80	0,84	0,89	0,93	0,98	0,99	1,00	0,99	0,95	0,88	0,80	0,52
2 000	2 500				9	0,49	0,54	0,58	0,62	0,66	0,71	0,75	0,80	0,84	0,88	0,92	0,94	0,95	0,93	0,89	0,83	0,75	0,49

Feeding rates are indicatives and based on the feed nutritional values. It must be adapted to local conditions and farming goals