



B-PENAEUS RANGE

Extruded feed for Shrimp



- Feed usable for shrimps in **Organic farming** conditions
- **High digestibility of** marine and vegetable **proteins**
- **Marin ingredients selected for their palatability**
- Usable in variable thermal conditions
- **Enriched with phospholipids, cholesterol and copper** according to nutritional recommendations

*LAP free : Land Animal Protein free

	B-POST LARVE		B-PENAEUS GROWER 1	B-PENAEUS GROWER 2
Commerciale Ref.	PL1 / PL2	PL3	X1	X2
Diameter (mm)	0,3 - 0,5 / 0,5 – 0,8	1,2	1,7	2 x 4,5
Presentation	Crumble	Pellet	Pellet	Pellet
Live weight (g)	From PL10 to 0,5 g	From 0,5 to 1 g	From 1 to 5 g	From 5 to >20 g

This fish feed for organic shrimp follows the (CE) n°834/2007, (CE) n°889/2008 and (CE) 710/2009 regulations about **Organic** production. Supervised by FR-BIO 10.

PACKING

25 kg bag (20 kg for PL1 to PL3)

Store feed in a cool and dry place

FLOATING TYPE

Sinking feed (x)

INDICATIVE NUTRITIONAL PROFILE

	B-POST LARVE	B-PENAEUS GROWER 1	B-PENAEUS GROWER 2
Protein (%)	42	40	38
Fats (%)	9	9	9
Gross Energy (MJ/Kg)	19,9	19	19
Fibre (%)	2	2,5	3
Ash (%)	9	9	8
Starch (%)	20	23	24
Phosphorus (%)	1	1,25	1,25
Phospholipids (%)	1,5	1,5	1,5
Cholesterol (%)	0,2	0,2	0,2

VITAMINS INCORPORATION

Vit. A (UI/Kg)	10 000
Vit. D3 (UI/Kg)	2 000
Vit. E (mg/Kg)	180
Vit. C (mg/Kg)	500

SUSTAINABILITY

Here at Le Gouessant, we believe that aquaculture is sustainable if performance, quality and preservation of marine resources are combined, that is why we are Global GAP certified.



FEEDING TABLE

Live Weight (g)		Feed	P	F	Diameter		Average feeding (% of biomass/day)
From	To				Cial ref	(mm)	
PL 10	0,2	B-POST LARVE	42	9	PL1	0,3-0,5	17.0
0,2	0,5				PL2	0,5-0,8	14.5
0,5	1				PL3	1,2	13.0
1	2	B-PENAEUS GROWER 1	40	9	1	1,7	10.5
2	3				1	1,7	8.0
3	4				1	1,7	7.0
4	5				1	1,7	5.7
5	6	B-PENAEUS GROWER 2	38	9	2	2	5.0
6	8				2	2	4.4
8	10				2	2	3.8
10	13				2	2	3.2
13	15				2	2	2.8
15	20				2	2	2.6
> 20					2	2	2.4

Feeding rates are indicatives and based on the feed nutritional values. It must be adapted to local conditions and farming goals