




## ORGANIC HATCHERY RANGE: B-SUPRA



### Extruded pellet for Sturgeon fingerling

- Feed usable for alevins in **Organic farming conditions**
- **Progressive evolution of the protein and lipid profil**, according to the nutritional need of each stage
- **High DP/DE ratio**
- **High proportion of marine products**
- **Supplemented in Vitamins and Minerals**, to strengthen the immune system

\*LAP free : Land Animal Protein free

	B-SUPRA			
Commerciale Ref.	M00 / M0	M1 / M2	AL2 / AL3	AL4
Diameter (mm)	<0,15 / 0,15-0,4	0,4-0,7 / 0,7-1	0,8 / 1,1	1,4
Presentation	Crumble	Crumble	Pellet	Pellet
Live weight (g)	< 0,2	0,2 to 1,5 g	1,5 to 2,5 g	2,5 to 5 g

This fish feed for organic shrimp follows the (CE) n°834/2007, (CE) n°889/2008 and (CE) 710/2009 regulations about **Organic** production. Supervised by FR-BIO 10.

#### PACKING

**B-SUPRA** : 20 kg bag or 10 kg bucket  
Store feed in a cool and dry place.

#### FLOATING TYPE

**B-SUPRA**: sinking (slowly)

#### INDICATIVE NUTRITIONAL PROFILE

	B-SUPRA	
<b>Protein</b>	(%)	<b>55</b>
<b>Fats</b>	(%)	<b>13</b>
<b>Digestible Energy</b>	(MJ/Kg)	<b>18,3</b>
<b>DP / DE</b>	(g/MJ)	29
<b>Gross Energy</b>	(MJ/Kg)	20,3
<b>Fibre</b>	(%)	0,5
<b>Ash</b>	(%)	13
<b>Phosphorus</b>	(%)	1,7

#### VITAMINS INCORPORATION

Vit. A (UI/Kg)	12 000
Vit. D3 (UI/Kg)	2 100
Vit. E (mg/Kg)	400
Vit. C (mg/Kg)	1 000

#### SUSTAINABILITY

Here at Le Gouessant, we believe that aquaculture is sustainable if performance, quality and preservation of marine resources are combined, that is why we are Global GAP certified.



## FEEDING TABLE

Live Weight (g)		Feed	P	F	Diameter		Feeding rate (% of Biomass / day) following water temperature																			
From	To				N°	(mm)	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27			
0,1	0,5	<b>B-SUPRA</b>	<b>55</b>	<b>13</b>	<b>M1</b>	0,4-0,7	2,34	2,61	2,88	3,09	3,33	3,62	3,94	4,26	4,58	4,92	5,25	5,65	5,74	5,11	4,05	2,84	1,95			
0,5	1,5				<b>M2/ AL2</b>	0,7-1	2,02	2,21	2,39	2,59	2,84	3,09	3,39	3,69	3,99	4,24	4,54	4,84	4,97	4,39	3,59	2,76	1,94			
1,5	2,5				<b>AL3</b>	1,2	1,81	1,97	2,13	2,29	2,51	2,72	2,98	3,25	3,52	3,72	3,96	4,15	4,26	3,83	3,22	2,60	1,94			
2,5	5				<b>AL4</b>	1,4	1,49	1,63	1,77	1,91	2,05	2,23	2,42	2,60	2,79	2,98	3,16	3,29	3,37	3,21	2,77	2,32	1,84			

Feeding rates are indicatives and based on the feed nutritional values. It must be adapted to local conditions and farming goals